# 2020 VISION

BRING YOUR FUTURE INTO FOCUS.

Titanpro

2019 HARVEST DATA

SOYBEANS 0.8 RM



| STATE | CITY       | TRIAL | YIELD | RANK* | ENTRIES |
|-------|------------|-------|-------|-------|---------|
| MN    | Georgetown | FIRST | 43.3  | 10    | 59      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information

SOYBEANS 1.1 RM



| STATE | CITY    | TRIAL | YIELD | RANK* | ENTRIES |
|-------|---------|-------|-------|-------|---------|
| MN    | Wheaton | FIRST | 42.4  | 7     | 60      |
| ND    | Summary | FIRST | 41.3  | 17    | 60      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY       | TRIAL | YIELD | RANK* | ENTRIES |
|-------|------------|-------|-------|-------|---------|
| MN    | Clear Lake | FIRST | 57.7  | 5     | 72      |
| MN    | Wheaton    | FIRST | 41.4  | 10    | 60      |
| MN    | Albany     | FIRST | 48.2  | 25    | 72      |
| ND    | Summary    | FIRST | 43.1  | 9     | 60      |
| ND    | Milnor     | FIRST | 44.8  | 14    | 60      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information

SOYBEANS 1.5 RM



| STATE | CITY       | TRIAL | YIELD | RANK* | ENTRIES |
|-------|------------|-------|-------|-------|---------|
| MN    | Starbuck   | FIRST | 48    | 13    | 81      |
| MN    | Summary    | FIRST | 45    | 17    | 81      |
| MN    | Clear Lake | FIRST | 52.1  | 23    | 72      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY         | TRIAL | YIELD | RANK* | ENTRIES |
|-------|--------------|-------|-------|-------|---------|
| IA    | Lu Verne     | FIRST | 64.1  | 15    | 45      |
| IA    | New Hampton  | FIRST | 62.8  | 17    | 45      |
| MN    | Wabasso      | FIRST | 57.6  | 9     | 36      |
| MN    | Jeffers      | FIRST | 58.4  | 10    | 42      |
| MN    | Summary      | FIRST | 61.7  | 14    | 42      |
| MN    | Kasson       | FIRST | 65.9  | 17    | 42      |
| MN    | Winthrop     | FIRST | 42    | 23    | 81      |
| MN    | Easton       | FIRST | 61.9  | 27    | 42      |
| MN    | Nerstrand    | FIRST | 62.7  | 28    | 36      |
| MN    | New Richland | FIRST | 60.8  | 29    | 42      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY             | TRIAL     | YIELD | RANK* | ENTRIES |
|-------|------------------|-----------|-------|-------|---------|
| IA    | Osage            | FIRST     | 54.8  | 11    | 45      |
| IA    | Kensett          | ISU       | 59.82 | 16    | 45      |
| IA    | Summary          | FIRST     | 60.3  | 17    | 45      |
| IA    | Ledyard          | FIRST     | 62.5  | 20    | 45      |
| IA    | New Hampton      | FIRST     | 62.1  | 21    | 45      |
| IA    | Oelwein          | ISU       | 60.95 | 25    | 45      |
| MN    | Faribault County | MN County | 59.9  | 3     | 10      |
| MN    | Kasson           | FIRST     | 69.2  | 4     | 42      |
| MN    | Brown County     | MN County | 55.1  | 4     | 8       |
| MN    | Brown County     | MN County | 52.7  | 7     | 8       |
| MN    | Brown County     | MN County | 47.6  | 7     | 8       |
| MN    | Gaylord          | County    | 38.7  | 7     | 11      |
| MN    | Brown County     | MN County | 55.5  | 8     | 8       |
| MN    | Blue Earth       | MN County | 60.6  | 10    | 10      |
| MN    | Summary          | FIRST     | 60.9  | 22    | 42      |
| MN    | Easton           | FIRST     | 62.4  | 23    | 42      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY         | TRIAL | YIELD | RANK* | ENTRIES |
|-------|--------------|-------|-------|-------|---------|
| IA    | Osage        | FIRST | 56.7  | 3     | 45      |
| IA    | Lu Verne     | FIRST | 65.6  | 7     | 45      |
| IA    | Kensett      | ISU   | 61.83 | 9     | 45      |
| IA    | Oelwein      | ISU   | 65.04 | 10    | 45      |
| IA    | Summary      | FIRST | 61    | 10    | 45      |
| IA    | Ledyard      | FIRST | 62.8  | 18    | 45      |
| IA    | Sutherland   | ISU   | 57.92 | 20    | 45      |
| MN    | Nerstrand    | FIRST | 71.4  | 5     | 42      |
| MN    | Cannon Falls | FIRST | 61.8  | 20    | 42      |
| MN    | Summary      | FIRST | 61.5  | 20    | 42      |
| SD    | Colton       | FIRST | 54.6  | 24    | 54      |
| WI    | Cobb         | FIRST | 63.3  | 12    | 72      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY             | TRIAL     | YIELD | RANK* | ENTRIES |
|-------|------------------|-----------|-------|-------|---------|
| IA    | Kensett          | ISU       | 63.02 | 2     | 45      |
| IA    | Osage            | FIRST     | 55.6  | 3     | 45      |
| IA    | Iowa Falls       | FIRST     | 63.8  | 4     | 48      |
| IA    | Galva            | FIRST     | 62.3  | 10    | 36      |
| IA    | Oelwein          | ISU       | 64.9  | 11    | 45      |
| IA    | Lu Verne         | FIRST     | 64.2  | 13    | 45      |
| IA    | Nashua           | ISU       | 59.46 | 13    | 45      |
| IA    | Sutherland       | ISU       | 59.13 | 13    | 45      |
| IA    | Summary          | FIRST     | 59.1  | 14    | 48      |
| IA    | Corwith          | ISU       | 56.17 | 16    | 45      |
| IA    | Waterloo         | FIRST     | 63.6  | 19    | 48      |
| IA    | Summary          | FIRST     | 59.4  | 19    | 45      |
| IA    | Summary          | FIRST     | 59.1  | 20    | 36      |
| IA    | Hartley          | FIRST     | 54.8  | 21    | 36      |
| IA    | Moorland         | FIRST     | 52.9  | 23    | 48      |
| MN    | Wells            | MN County | 61    | 4     | 10      |
| MN    | Brown County     | MN County | 52    | 5     | 21      |
| MN    | Faribault County | MN County | 61.8  | 7     | 10      |
| MN    | Gaylord          | County    | 37.8  | 8     | 11      |
| MN    | Brown County     | MN County | 63.8  | 10    | 21      |
| MN    | Madison Lake     | FIRST     | 58.8  | 20    | 42      |
| MN    | Nerstrand        | FIRST     | 67.5  | 21    | 42      |
| MN    | Kasson           | FIRST     | 62.8  | 22    | 48      |
| SD    | Colton           | FIRST     | 55.3  | 21    | 54      |
| WI    | Janesville       | FIRST     | 53    | 23    | 72      |
|       |                  |           |       |       |         |

<sup>\*</sup>All data is from 2019 harvest



<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY        | TRIAL | YIELD | RANK* | ENTRIES |
|-------|-------------|-------|-------|-------|---------|
| IA    | Iowa Falls  | FIRST | 65.2  | 3     | 48      |
| IA    | Kensett     | ISU   | 63.61 | 3     | 36      |
| IA    | Yale        | FIRST | 61.3  | 6     | 36      |
| IA    | New Hampton | FIRST | 64.4  | 8     | 45      |
| IA    | Waterloo    | FIRST | 63.9  | 15    | 48      |
| IA    | Nashua      | ISU   | 61.06 | 18    | 36      |
| IA    | Galva       | FIRST | 59.7  | 20    | 36      |
| IA    | Summary     | FIRST | 58.2  | 20    | 48      |
| IA    | Sutherland  | ISU   | 58.38 | 21    | 36      |
| IA    | Lu Verne    | FIRST | 61    | 25    | 45      |
| IA    | Summary     | FIRST | 56.9  | 25    | 36      |
| IL    | Winnebago   | FIRST | 62.1  | 21    | 72      |
| MN    | Kasson      | FIRST | 65.8  | 4     | 48      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY    | TRIAL | YIELD | RANK* | ENTRIES |
|-------|---------|-------|-------|-------|---------|
| IA    | Nashua  | ISU   | 62.27 | 9     | 36      |
| IA    | Osage   | FIRST | 53.3  | 10    | 45      |
| IA    | Oelwein | ISU   | 62.93 | 20    | 36      |
| IA    | Corwith | ISU   | 55.4  | 23    | 36      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY            | TRIAL | YIELD | RANK* | ENTRIES |
|-------|-----------------|-------|-------|-------|---------|
| IA    | Missouri Valley | ISU   | 76.72 | 1     | 34      |
| IA    | Galva           | FIRST | 65.6  | 1     | 41      |
| IA    | Lewis           | ISU   | 79    | 2     | 29      |
| IA    | Yale            | FIRST | 66.3  | 2     | 45      |
| IA    | Corning         | ISU   | 71.59 | 3     | 29      |
| IA    | Summary         | FIRST | 64.7  | 3     | 45      |
| IA    | Central City    | FIRST | 52.4  | 4     | 45      |
| IA    | Glidden         | ISU   | 76.23 | 5     | 34      |
| IA    | Milo            | ISU   | 68.32 | 5     | 29      |
| IA    | Clarence        | ISU   | 81.27 | 6     | 34      |
| IA    | Crawfordsville  | ISU   | 73.76 | 7     | 29      |
| IA    | Victor          | FIRST | 75.2  | 10    | 45      |
| IA    | Summary         | FIRST | 61    | 13    | 41      |
| IA    | Waterloo        | FIRST | 67    | 15    | 48      |
| IA    | Laurens         | FIRST | 64    | 15    | 48      |
| IA    | Masonville      | ISU   | 54.13 | 17    | 34      |
| IA    | Boyden          | FIRST | 63.2  | 22    | 42      |
| IA    | Hartley         | FIRST | 54.1  | 23    | 42      |
| IA    | Summary         | FIRST | 58.6  | 26    | 48      |
| IL    | Dixon           | FIRST | 67.6  | 5     | 72      |
| IL    | Summary         | FIRST | 67.2  | 7     | 72      |
| IL    | Milledgeville   | FIRST | 69.8  | 11    | 72      |
| IL    | Grand Ridge     | FIRST | 69.1  | 26    | 72      |
| SD    | Salem           | FIRST | 55.8  | 3     | 54      |
| SD    | Summary         | FIRST | 55    | 22    | 54      |
|       |                 |       |       |       |         |

<sup>\*</sup>All data is from 2019 harvest



<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY            | TRIAL | YIELD | RANK* | ENTRIES |
|-------|-----------------|-------|-------|-------|---------|
| IA    | Central City    | FIRST | 52.2  | 5     | 45      |
| IA    | Victor          | FIRST | 76.3  | 7     | 45      |
| IA    | Summary         | FIRST | 63.4  | 7     | 45      |
| IA    | Missouri Valley | ISU   | 71.75 | 10    | 34      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY            | TRIAL | YIELD | RANK* | ENTRIES |
|-------|-----------------|-------|-------|-------|---------|
| IA    | Missouri Valley | ISU   | 72.44 | 6     | 34      |
| IA    | Winterset       | FIRST | 69.6  | 6     | 72      |
| IA    | Masonville      | ISU   | 57.55 | 7     | 34      |
| IA    | Clarence        | ISU   | 79.35 | 11    | 34      |
| IA    | Cambria         | FIRST | 67.2  | 24    | 72      |
| NE    | McLean          | FIRST | 63.3  | 16    | 41      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY           | TRIAL | YIELD | RANK* | ENTRIES |
|-------|----------------|-------|-------|-------|---------|
| IA    | Lewis          | ISU   | 79.5  | 3     | 39      |
| IA    | Corning        | ISU   | 74.68 | 3     | 39      |
| IA    | Milo           | ISU   | 66.43 | 9     | 39      |
| IA    | Crawfordsville | ISU   | 74.83 | 17    | 39      |
| IA    | Washington     | FIRST | 80.4  | 25    | 72      |
| NE    | McLean         | FIRST | 66.6  | 6     | 41      |
| NE    | Wisner         | FIRST | 70    | 11    | 41      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY           | TRIAL | YIELD | RANK* | ENTRIES |
|-------|----------------|-------|-------|-------|---------|
| IA    | Lewis          | ISU   | 74.79 | 13    | 39      |
| IA    | Milo           | ISU   | 65.96 | 15    | 39      |
| IA    | Crawfordsville | ISU   | 75.1  | 16    | 39      |
| IA    | Corning        | ISU   | 70.79 | 16    | 39      |
| IL    | Thomasboro     | FIRST | 54.8  | 29    | 63      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY     | TRIAL | YIELD | RANK* | ENTRIES |
|-------|----------|-------|-------|-------|---------|
| MN    | Albany   | FIRST | 47.8  | 28    | 72      |
| MN    | Royalton | FIRST | 47.2  | 28    | 72      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY         | TRIAL | YIELD | RANK* | ENTRIES |
|-------|--------------|-------|-------|-------|---------|
| MN    | Clear Lake   | FIRST | 65.7  | 1     | 72      |
| MN    | Summary      | FIRST | 52.9  | 2     | 72      |
| MN    | Cannon Falls | FIRST | 69.6  | 3     | 36      |
| MN    | Nerstrand    | FIRST | 71.2  | 4     | 36      |
| MN    | Summary      | FIRST | 61.6  | 4     | 36      |
| MN    | Royalton     | FIRST | 48.5  | 25    | 72      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY           | TRIAL        | YIELD | RANK* | ENTRIES |
|-------|----------------|--------------|-------|-------|---------|
| MN    | Brown County   | County Plots | 54.1  | 2     | 8       |
| MN    | Brown County   | County Plots | 59.2  | 3     | 8       |
| MN    | Brown County   | County Plots | 56    | 3     | 8       |
| MN    | Wabasso        | FIRST        | 59.3  | 5     | 36      |
| MN    | Lester Prairie | FIRST        | 53.8  | 6     | 81      |
| MN    | Summary        | FIRST        | 47.2  | 6     | 81      |
| MN    | Cannon Falls   | FIRST        | 64.7  | 7     | 36      |
| MN    | Jeffers        | FIRST        | 58.7  | 8     | 42      |
| MN    | Winthrop       | FIRST        | 44    | 11    | 81      |
| MN    | Easton         | FIRST        | 63    | 15    | 42      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY        | TRIAL     | YIELD | RANK* | ENTRIES |
|-------|-------------|-----------|-------|-------|---------|
| IA    | New Hampton | FIRST     | 63.4  | 12    | 45      |
| IA    | Nashua      | ISU       | 59.39 | 14    | 45      |
| MN    | Morristown  | MN County | 56.5  | 7     | 18      |
| MN    | Kasson      | FIRST     | 64.7  | 8     | 48      |
| MN    | Summary     | FIRST     | 60.9  | 20    | 48      |
| MN    | Jeffers     | FIRST     | 53    | 22    | 48      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY       | TRIAL | YIELD | RANK* | ENTRIES |
|-------|------------|-------|-------|-------|---------|
| IA    | Iowa Falls | FIRST | 62.4  | 7     | 48      |
| IA    | Lu Verne   | FIRST | 62.3  | 20    | 45      |
| IA    | Ledyard    | FIRST | 60.4  | 23    | 45      |
| IA    | Laurens    | FIRST | 56.9  | 23    | 48      |
| IA    | Osage      | FIRST | 50.7  | 23    | 45      |
| WI    | Janesville | FIRST | 55.5  | 3     | 72      |
| WI    | Cobb       | FIRST | 62.9  | 19    | 72      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY       | TRIAL | YIELD | RANK* | ENTRIES |
|-------|------------|-------|-------|-------|---------|
| IA    | Galva      | FIRST | 65    | 3     | 41      |
| IA    | Waterloo   | FIRST | 68.8  | 5     | 48      |
| IA    | Laurens    | FIRST | 65.3  | 7     | 48      |
| IA    | Summary    | FIRST | 61    | 12    | 41      |
| IA    | Summary    | FIRST | 59.7  | 15    | 48      |
| IA    | Iowa Falls | FIRST | 59.1  | 18    | 48      |
| IA    | Hartley    | FIRST | 54.9  | 19    | 42      |
| IA    | Boyden     | FIRST | 63.1  | 23    | 42      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



| STATE | CITY            | TRIAL | YIELD | RANK* | ENTRIES |
|-------|-----------------|-------|-------|-------|---------|
| IA    | Glidden         | ISU   | 78.56 | 1     | 34      |
| IA    | Masonville      | ISU   | 63.26 | 2     | 34      |
| IA    | Clarence        | ISU   | 80.44 | 9     | 34      |
| IA    | Ames            | ISU   | 59.35 | 13    | 34      |
| IA    | Missouri Valley | ISU   | 69.26 | 21    | 34      |
| IL    | Dixon           | FIRST | 70.2  | 2     | 72      |
| IL    | Summary         | FIRST | 66    | 19    | 72      |
| NE    | Union           | FIRST | 56.1  | 14    | 45      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



## **TP-16X88**

| STATE | CITY           | TRIAL | YIELD | RANK* | ENTRIES |
|-------|----------------|-------|-------|-------|---------|
| MN    | Cannon Falls   | FIRST | 66.5  | 5     | 36      |
| MN    | Lester Prairie | FIRST | 53.4  | 7     | 81      |
| MN    | Summary        | FIRST | 60.4  | 8     | 36      |
| MN    | Wabasso        | FIRST | 56.5  | 14    | 36      |
| MN    | Madison Lake   | FIRST | 51.9  | 14    | 36      |
| MN    | Summary        | FIRST | 45.9  | 14    | 81      |
| MN    | Nerstrand      | FIRST | 66.8  | 17    | 36      |
| MN    | Easton         | FIRST | 63    | 17    | 42      |
| MN    | Kasson         | FIRST | 61.9  | 25    | 42      |
| MN    | New Richland   | FIRST | 61.2  | 27    | 42      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



## **TP-20X98**

| STATE | CITY         | TRIAL  | YIELD | RANK* | ENTRIES |
|-------|--------------|--------|-------|-------|---------|
| MN    | Wabasso      | FIRST  | 59.8  | 10    | 42      |
| MN    | Brown County | County | 41.1  | 13    | 21      |
| MN    | Brown County | County | 58.4  | 15    | 21      |
| MN    | Summary      | FIRST  | 61.7  | 18    | 42      |
| MN    | Cannon Falls | FIRST  | 62    | 19    | 42      |
| MN    | Madison Lake | FIRST  | 58.4  | 24    | 42      |
| MN    | Nerstrand    | FIRST  | 66.7  | 26    | 42      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



# TP-24X87

| STATE | CITY       | TRIAL | YIELD | RANK* | ENTRIES |
|-------|------------|-------|-------|-------|---------|
| IA    | Oelwein    | ISU   | 66.6  | 4     | 36      |
| IA    | Boyden     | FIRST | 65.6  | 4     | 36      |
| IA    | Sutherland | ISU   | 61.73 | 7     | 36      |
| IA    | Moorland   | FIRST | 54.9  | 15    | 48      |
| IA    | Corwith    | ISU   | 57.67 | 17    | 36      |
| IA    | Kensett    | ISU   | 60.51 | 20    | 36      |
| IA    | Waterloo   | FIRST | 63.3  | 21    | 48      |
| IA    | Nashua     | ISU   | 60.44 | 21    | 36      |
| IA    | Summary    | FIRST | 58.7  | 22    | 36      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information



# TP-28X47

| STATE | CITY            | TRIAL | YIELD | RANK* | ENTRIES |
|-------|-----------------|-------|-------|-------|---------|
| IA    | Missouri Valley | ISU   | 71.41 | 11    | 34      |
| IA    | Hartley         | FIRST | 56.5  | 12    | 42      |
| IA    | Masonville      | ISU   | 53.95 | 18    | 34      |
| IA    | Galva           | FIRST | 59.7  | 26    | 41      |
| IA    | Iowa Falls      | FIRST | 57.2  | 28    | 48      |
| IA    | Clarence        | ISU   | 74.27 | 29    | 34      |
| IA    | Glidden         | ISU   | 70.36 | 29    | 34      |
| IL    | Winnebago       | FIRST | 60.8  | 26    | 72      |
| WI    | Janesville      | FIRST | 53.7  | 15    | 72      |



<sup>\*</sup>All data is from 2019 harvest

<sup>\*</sup>Rank is determined by yield

<sup>\*</sup>No product recommendation by F.I.R.S.T. or other 3rd parties is implied

<sup>\*</sup>Always read and follow bag tags, and understand herbicide tolerance information