

## HYBRID LEADER AT 104 RM WITH EXCELLENT TEST WEIGHT

- Very good Goss's Wilt tolerance with low green snap risk
- Responds to fungicide applications very well
- Strong stalks & good roots give a clean fall appearance
- Moves north of zone

### AGRONOMIC CHARACTERISTICS

Yield for Maturity.....	5
Root Strength.....	4
Stalk Strength.....	4
Green Snap.....	4
Stay Green.....	4
Stress Tolerance.....	4
Emergence.....	3

### DISEASE TOLERANCE RATINGS

Goss's Wilt.....	4
Anthraxnose Stalk Rot.....	3
Common Rust.....	NA
Gray Leaf Spot.....	3
Northern Leaf Blight.....	3
Tar Spot Complex .....	3
Fungicide Response.....	5

### HYBRID POSITIONING & ADAPTABILITY

Harvestability.....	4
No-Till.....	3
Corn on Corn.....	4
Light Soil.....	3
Heavy Soil.....	4
Marginal Fertility.....	4
Highly Productive.....	4
Dual Purpose.....	4

### AGRONOMIC CHARACTERISTICS

GDU'S to Mid-Pollination	1305
GDU'S to Black Layer	2610
Refuge Requirement	5% RIB

Leaf Angle	Horizontal
Plant Height	Medium Tall
Ear Height	Medium
Ear Type	Semi-Determinate
Population	Medium - Medium High
Test Weight	5

Test Weight Rating Scale (1-5)  
A higher score indicates a heavier test weight.

### NOTES

5 = EXCELLENT    4 = VERY GOOD    3 = AVERAGE    2 = BELOW AVERAGE    1 = POOR

\*All ratings presented are from past performance and do not ensure future results

**Bayer Company is a member of Excellence Through Stewardship® (ETS).** Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. This product has been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

**B.t. products** may not yet be registered in all states. Check with your representative for the registration status in your state.

**IMPORTANT IRM INFORMATION: RIB Complete®** corn blend products do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. **See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.**


DroughtGard® Hybrids with RIB Complete® corn blend the refuge seed may not always contain DroughtGard® Hybrids trait.

**ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Roundup Ready® 2 Technology contain genes that confer tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to glyphosate.

**Performance may vary** from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.

DroughtGard®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready®, SmartStax®, and VT Double PRO® are trademarks of Bayer Group. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association. All other trademarks are the property of their respective owners.

LibertyLink® and the Water Droplet Design® are registered trademarks of BASF Corporation. Herculex® is a registered trademark of Dow AgroSciences LLC.



Agrisure®, Agrisure Duracade® and E-Z Refuge® are registered trademarks of a Syngenta Group Company.

**Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides.**

More information about Agrisure Duracade® is available at <http://www.biotradestatus.com/>.



Agrisure® Technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Dow AgroSciences, LLC. HERCULEX® and the HERCULEX Shield are trademarks of Dow AgroSciences, LLC.

82-04 2P

ALSO AVAILABLE AS  
22-04 SSVT Double<sup>PRO</sup>  
RIB COMPLETE

STATE	CITY	TRIAL	YIELD	RANK*	ENTRIES	YIELD ADVANTAGE**
IA	Postville	FIRST	276.1	16	62	7.1
IA	Sheldon	ISU	239.5	16	52	7.7
IA	Corwith	ISU	213.8	6	52	21.0
IA	Urbana	Dealer Plot	213.4	4	9	2.2
IA	Nashua	ISU	202.4	14	52	14.2
IA	Pocahontas	ISU	190.6	32	52	-0.5
IA	Paullina	FIRST	172.3	22	66	6.5
IL	Milledgeville	FIRST	266.7	8	62	15.1
MN	Raymond	Dealer Plot	273.6	2	28	33.7
MN	Waldorf	Dealer Plot	264.6	3	18	18.7
MN	Rochester	UMN	263.0	9	20	1.0
MN	New Ulm	County Plot	248.5	5	25	8.1
MN	Fairfax	Dealer Plot	247.2	7	18	4.6
MN	New Ulm	County Plot	241.3	1	25	21.6
MN	Lamberton	UMN	237.0	9	20	2.0
MN	New Ulm	County Plot	226.8	1	12	15.8
MN	Cottonwood	Dealer Plot	213.4	2	12	15.0
MN	Madison	Dealer Plot	191.5	4	14	9.6
MN	New Ulm	County Plot	190.6	6	25	5.5
MN	Yellow Medicine	Dealer Plot	180.3	9	12	0.1
SD	Dell Rapids	FIRST	256.7	17	59	6.0
SD	Salem	FIRST	256.3	25	59	5.2
SD	Irene	FIRST	246.9	7	59	10.3
SD	Colton	FIRST	234.1	24	59	3.9
SD	SDSE Summary	FIRST	228.8	15	59	5.9
SD	Beresford	FIRST	177.6	32	59	0.8
WI	Cobb	FIRST	264.9	17	62	10.6

\*Rank is determined by yield \*\* Yield Advantage is the difference between Titan Pro yield and the average yield within the plot  
 All data is from 2020 harvest. No product recommendation by F.I.R.S.T. or other 3rd parties is implied  
 Always read and follow bag tags, and understand herbicide tolerance information

82-04 2P

VT Double<sup>PRO</sup>  
RIB COMPLETE

STATE	CITY	TRIAL	YIELD	RANK*	ENTRIES	YIELD ADVANTAGE**
WI	Janesville	FIRST	264.2	27	62	0.5
WI	Arlington	FIRST	260.3	21	62	6.2
WI	Oregon	FIRST	249.4	9	62	11.7
WI	Monroe	FIRST	247.8	29	62	0.4
WI	WISO Summary	FIRST	245.9	22	62	2.3
WI	Woodstock	FIRST	212.3	25	62	3.0

\*Rank is determined by yield \*\* Yield Advantage is the difference between Titan Pro yield and the average yield within the plot  
All data is from 2020 harvest. No product recommendation by F.I.R.S.T. or other 3rd parties is implied  
Always read and follow bag tags, and understand herbicide tolerance information

## 82-04 2P



STATE	CITY	TRIAL	YIELD	RANK*	ENTRIES
IA	Nashua	PRO 94	254.8	<b>1</b>	20
IA	Pocahontas	PRO 94	186.7	<b>1</b>	20
IA	Reinbeck	PRO 94	267	<b>2</b>	20
IA	Altoona	PRO 94	266.9	<b>2</b>	20
IA	Pocahontas	PRO 93	221.6	<b>2</b>	20
IA	Bode	PRO 93	252.2	<b>3</b>	20
IA	Reinbeck	PRO 93	247.1	<b>3</b>	20
IA	Creston	PRO 94	241.9	<b>5</b>	20
IA	Clarence	PRO 94	245.1	<b>6</b>	20
IA	Keystone	PRO 94	241.7	<b>6</b>	20
IA	Sheldon	PRO 93	230.8	<b>7</b>	20
IA	Paullina	FIRST	208.7	<b>7</b>	72
IA	Osage	FIRST	247.8	<b>8</b>	72
IA	Waterloo	FIRST	249.4	<b>9</b>	72
IA	Grafton	PRO 93	236.6	<b>9</b>	20
IA	Nashua	PRO 93	235.3	<b>10</b>	20
IA	Moorland	FIRST	233.4	<b>15</b>	72
IA	Greene	FIRST	240	<b>16</b>	72
IA	<b>Summary</b>	FIRST	239.4	<b>16</b>	72
IL	Monmouth	PRO 94	256.5	<b>2</b>	20
IL	Woodstock	FIRST	234	<b>7</b>	54
IL	Champaign	PRO 94	226.2	<b>7</b>	20
IL	Geneseo	PRO 94	230.4	<b>9</b>	20
IL	Milledgeville	FIRST	266.8	<b>14</b>	63
MN	Gaylord	County	214.4	<b>1</b>	12
MN	Eyota	FIRST	252.5	<b>2</b>	66
MN	Lamberton	U of M	250	<b>2</b>	17
MN	Wells	PRO 93	238.9	<b>2</b>	20
MN	Sanborn	PRO 93	248.4	<b>3</b>	20
MN	<b>Summary</b>	FIRST	239.6	<b>4</b>	66
MN	Nerstrand	FIRST	251.6	<b>6</b>	66
MN	Pipestone	PRO 93	190.2	<b>6</b>	20
MN	Waseca	U of M	242	<b>8</b>	17
MN	Kasson	FIRST	231.3	<b>14</b>	66
MN	Cannon Falls	FIRST	263.8	<b>15</b>	66
MN	New Richland	FIRST	224.1	<b>17</b>	66
NE	Stanton	PRO 94	238.2	<b>10</b>	20
NE	Arlington	PRO 94	230.1	<b>10</b>	20
WI	Janesville	PRO 93	266.8	<b>3</b>	20
WI	Oregon	FIRST	236.6	<b>5</b>	54
WI	<b>Summary</b>	FIRST	238.9	<b>8</b>	54
WI	Monroe	FIRST	244.1	<b>9</b>	54
WI	Janesville	FIRST	272.8	<b>11</b>	54

\*All data is from 2019 harvest

\*Rank is determined by yield

\*No product recommendation by F.I.R.S.T. or other 3rd parties is implied

\*Always read and follow bag tags, and understand herbicide tolerance information

