

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

## 2024 Corn Grain Top 30 Harvest Report

Iowa North Central [IANC] NEW HAMPTON, IA  
Matt Bruening, Chickasaw County, IA

**Ultra Early-Season Test** 95 - 100 Day CRM  
B2024IANC03u

**Top 29 of 30** For Gross Income  
(Sorted by Yield)  
Average of (3) Replications

**PREV. CROP/HERB:** Soybeans / Enlist, Liberty,  
Metabuzin, Zidua

**SOIL DESCRIPTION:** Readlyn silt loam, moderately  
drained, non-irrigated

**SOIL CONDITION:** No-Till, very high P, high K, 6.5  
pH, 4.4% OM, 18.6 CEC

**PEST MANAGEMENT:** Callisto, Keystone, Roundup  
Powermax 3, Acuron, Trivapro

**FERTILITY - Applied N:** 100 Fall, 89 Planter, 57 Foliar  
Rescue, 20.6 lbs - S, 0.24 lbs -  
B

**Applied N-P-K (units):** 247-19-9

**SEEDED - RATE - ROW:** May 13 35.7 /A 30" spacing

**HARVESTED - STAND:** Oct 18 33.7 /A

### TEST COMMENTS:

New Hampton was planted on May 13 due to wet spring conditions, which delayed planting. Soil conditions at planting were good, with temperatures at 64°F and soil moisture around 65% field capacity. After planting, there were adequate rainfalls. Conventional hybrids had herbicide injury that occurred very early in the season near the time of emergence. Rainfalls in the early summer months were well above average, with a record 9.6" in May, making it one of the wettest springs on record. June and July also received about twice as much rain as usual. However, rainfall decreased in August and September. This year's yield was still solid despite the dryer mid and late-summer conditions. This location will not be included in the Region Summary due to damage to conventional hybrids.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
NuTech	60A4AM ↗	AM	100	<b>264.2</b>	15.9	0	34.3	1063	1
Pioneer	P9955Q GC ↗	QR	99	<b>261.9</b>	17.7	0	34.1	1039	2
Golden Harvest	G97B68-DV ↗	DV	97	258.1	17.0	0	33.1	1030	4
Titan Pro	48-99 PCE ↗	PCE	99	254.8	16.5	0	33.8	1020	5
Cornelius	C5806VT4P ↗	VT4P	98	254.7	14.8	0	33.3	1032	3
NuTech	59C1V ↗	VE	99	250.9	17.8	0	32.0	995	8
Jacobsen	JS0034SS ↗	STX	100	250.0	16.8	0	33.4	999	6
Dyna-Gro	D39VT75RIB ↗	VT4P	99	249.2	16.8	0	33.9	996	7
Wyffels	W2386 ↗	VT2P	100	248.2	16.6	0	33.1	993	10
Jacobsen	JS9542DGV2P ↗	VT2PDG	95	247.6	16.0	0	34.7	995	9
Legacy	LC465-23 ↗	PCE	96	247.1	16.3	0	33.5	991	11
Renk	RK630TRE ↗	TRE	100	243.5	16.6	0	34.1	975	12
Golden Harvest	G00U71-D ↗	D	100	243.5	16.6	0	33.3	975	13
Renk	RK597SSPRO ↗	STXP	99	242.2	16.8	0	34.3	968	15
NuTech	57B5V ↗	VE	97	241.9	16.5	0	34.8	969	14
FS InVision	FS 4545D2 EZR ↗	5222	95	241.8	16.9	0	33.8	965	17
Wyffels	W2446RIB ↗	VT2P	100	241.0	16.4	0	34.7	966	16
Wyffels	W1996RIB ↗	VT2P	98	239.6	16.6	0	33.9	959	18
Dyna-Gro	D37PN35RA ↗	PCE	97	235.8	15.7	0	35.2	950	19
Pioneer	P0075Q GC ↗	QR	100	234.4	16.3	0	30.8	940	20
DeKalb	DKC098-88RIB GC ↗	VT4P	98	232.9	16.7	0	34.7	931	21
NuTech	60A2Q ↗	QR	100	231.8	17.5	0	34.1	922	23
Jacobsen	JS9414VT2P ↗	VT2P	95	229.9	14.3	0	32.8	931	22
FS InVision	FS 5035P RIB ↗	STXP	100	223.4	17.7	0	32.6	887	25
FS InVision	FS 4927T RIB ↗	TRE	99	222.9	16.0	0	33.6	896	24
Cornelius	C5972TRE ↗	TRE	99	220.5	16.6	0	35.1	882	26
Renk	RK579DGV2P ↗	VT2PDG	99	215.9	15.8	0	33.9	869	27
Titan Pro	30-00 SS ↗	STX	100	214.3	16.0	0	30.9	861	28
Wyffels	W1869 ↗	STXP	97	206.3	16.5	0	34.8	827	29

*Corey Rozenboom*

Corey Rozenboom

corey.rozenboom@firstseedtests.com, (319) 830-8886

Averages = **240.0** **16.5** **33.7** **928**

LSD (0.10) = 18.8 ns ns

LSD (0.25) = 9.8 ns ns

C.V. = 7.4

Historic yield: 243.96 bu/a, 2 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.03 Prices: GMO = \$4.05

Report Date: 10/19/2024

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com)

©2024, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

## 2024 Corn Grain Top 30 Harvest Report

Iowa North Central [IANC] NEW HAMPTON, IA  
Matt Bruening, Chickasaw County, IA

<b>Early-Season Test</b>	101 - 106 Day CRM B2024IANC03a
<b>Top 30 of 54</b>	For Gross Income (Sorted by Yield) Average of (3) Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Enlist, Liberty, Metabuzin, Zidua
<b>SOIL DESCRIPTION:</b>	Readlyn silt loam, moderately drained, non-irrigated
<b>SOIL CONDITION:</b>	No-Till, very high P, high K, 6.5 pH, 4.4% OM, 18.6 CEC
<b>PEST MANAGEMENT:</b>	Callisto, Keystone, Roundup Powermax 3, Acuron, Trivapro
<b>FERTILITY - Applied N:</b>	100 Fall, 89 Planter, 57 Foliar Rescue, 20.6 lbs - S, 0.24 lbs - B
<b>Applied N-P-K (units):</b>	247-19-9
<b>SEEDED - RATE - ROW:</b>	May 13 35.7 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 18 31.7 /A

### TEST COMMENTS:

New Hampton was planted on May 13 due to wet spring conditions, which delayed planting. Soil conditions at planting were good, with temperatures at 64°F and soil moisture around 65% field capacity. After planting, there were adequate rainfalls. Conventional hybrids had herbicide injury that occurred very early in the season near the time of emergence. Rainfalls in the early summer months were well above average, with a record 9.6" in May, making it one of the wettest springs on record. June and July also received about twice as much rain as usual. However, rainfall decreased in August and September. This year's yield was still solid despite the dryer mid and late-summer conditions. This location will not be included in the Region Summary due to damage to conventional hybrids.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Cornelius	C6467PCE ↗	PCE	104	<b>288.0</b>	16.8	0	33.4	1151	1
NuTech	65B8V ↗	VE	105	<b>286.5</b>	17.3	0	29.2	1141	2
Pioneer	P05737PCE GC ↗	PCE	105	<b>282.9</b>	19.3	0	32.6	1109	3
Pioneer	P04511AM GC ↗	AM,B	104	<b>281.3</b>	19.1	0	32.7	1105	4
NuTech	66D1AM ↗	AM	106	<b>279.5</b>	19.2	0	31.0	1096	5
Titan Pro	44-06 PCE ↗	PCE	106	<b>274.8</b>	18.2	0	32.2	1087	6
Titan Pro	46-03 PCE ↗	PCE	103	271.9	17.7	0	33.1	1079	7
Jacobsen	JS0342DGV2P ↗	VT2PDG	102	271.8	18.4	0	32.4	1073	8
Wyffels	W4439RIB ↗	STXP	106	270.5	18.8	0	31.6	1065	9
FS InVision	FS 5147T RIB ↗	TRE	101	269.1	18.9	0	32.6	1059	13
Jacobsen	JS0414PCE ↗	PCE	104	268.4	18.3	0	31.9	1060	11
Wyffels	W3309RIB ↗	STXP	103	268.1	18.2	0	34.5	1060	12
DeKalb	DKC103-07RIB GC ↗	TRE	103	267.2	17.6	0	31.9	1061	10
Legacy	LC531-24 ↗	VT4P	103	266.9	17.8	0	33.8	1059	14
NuTech	63A7V ↗	VE	103	266.8	17.8	0	31.9	1058	15
Wyffels	W3579RIB ↗	STXP	105	263.0	17.2	0	32.3	1048	16
FS InVision	FS 5525VDG RIB ↗	VT2PDG	105	261.6	18.3	0	31.6	1034	19
Jacobsen	JS0593PCE ↗	PCE	105	261.1	17.4	0	32.9	1038	18
Jacobsen	JS0223VT2P ↗	VT2P	102	260.7	17.2	0	33.0	1039	17
Pioneer	P0339Q GC ↗	QR	103	259.6	18.7	0	32.8	1023	24
Dyna-Gro	D44PN25RA ↗	PCE	104	259.4	17.8	0	30.3	1029	21
NuTech	61A5PCE ↗	PCE	101	259.2	18.0	0	32.4	1026	22
NuTech	66C2V ↗	VE	106	258.2	21.1	0	32.1	998	29
FS InVision	FS 5115X RIB ↗	STX	101	257.8	17.5	0	30.9	1025	23
Rob-See-Co	RC5209-D ↗	D	102	256.3	17.6	0	33.1	1018	25
Rob-See-Co	RC5430-DGVT2P ↗	VT2PDG	104	256.3	17.7	0	32.6	1017	26
Renk	RK705VT4P ↗	VT4P	105	255.4	17.9	0	32.8	1012	28
Wyffels	W3286RIB ↗	VT2P	103	255.0	17.4	0	34.3	1015	27
DeKalb	DKC105-33RIB GC ↗	STXP	105	253.4	19.1	0	32.6	995	31
Renk	RK625DGV2P ↗	VT2PDG	104	253.2	18.6	0	30.9	998	30
<b>PIONEER</b>	<b>P0688AM CK</b>	<b>AM</b>	<b>106</b>	<b>263.8</b>	<b>19.7</b>	<b>0</b>	<b>31.6</b>	<b>1031</b>	<b>20</b>
				<b>Averages =</b>	<b>256.9</b>	<b>18.2</b>	<b>31.7</b>	<b>884</b>	
				LSD (0.10) =	17.7	1.1	ns		
				LSD (0.25) =	9.3	0.6	ns		
				C.V. =	6.5				
Corey Rozenboom				Historic yield: 243.96 bu/a, 2 yr(s)					
corey.rozenboom@firstseedtests.com, (319) 830-8886									

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.03 Prices: GMO = \$4.05

Report Date: 10/19/2024

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com)

©2024, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

## 2024 Corn Grain Top 30 Harvest Report

Iowa North Central [IANC] NEW HAMPTON, IA  
Matt Bruening, Chickasaw County, IA

<b>Full-Season Test</b>	107 - 111 Day CRM B2024IANC03b
<b>Top 30 of 52</b>	For Gross Income (Sorted by Yield) Average of (3) Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Enlist, Liberty, Metabuzin, Zidua
<b>SOIL DESCRIPTION:</b>	Readlyn silt loam, moderately drained, non-irrigated
<b>SOIL CONDITION:</b>	No-Till, very high P, high K, 6.5 pH, 4.4% OM, 18.6 CEC
<b>PEST MANAGEMENT:</b>	Callisto, Keystone, Roundup Powermax 3, Acuron, Trivapro
<b>FERTILITY - Applied N:</b>	100 Fall, 89 Planter, 57 Foliar Rescue, 20.6 lbs - S, 0.24 lbs - B
<b>Applied N-P-K (units):</b>	247-19-9
<b>SEEDED - RATE - ROW:</b>	May 13 35.7 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 18 33.8 /A

### TEST COMMENTS:

New Hampton was planted on May 13 due to wet spring conditions, which delayed planting. Soil conditions at planting were good, with temperatures at 64°F and soil moisture around 65% field capacity. After planting, there were adequate rainfalls. Conventional hybrids had herbicide injury that occurred very early in the season near the time of emergence. Rainfalls in the early summer months were well above average, with a record 9.6" in May, making it one of the wettest springs on record. June and July also received about twice as much rain as usual. However, rainfall decreased in August and September. This year's yield was still solid despite the dryer mid and late-summer conditions. This location will not be included in the Region Summary due to damage to conventional hybrids.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Cornelius	C7026PCE ↗	PCE	110	<b>307.0</b>	19.0	0	34.5	1207	1
Rob-See-Co	RC6026-PCE ↗	PCE	110	<b>297.9</b>	19.7	0	34.2	1164	2
Pioneer	P0953AM GC ↗	AM	109	<b>295.0</b>	20.2	0	33.3	1149	3
Integra	5935PCE ↗	PCE	109	<b>291.1</b>	20.0	0	34.4	1136	5
NuTech	68C1V ↗	VE	108	<b>289.7</b>	19.1	0	34.5	1138	4
Dyna-Gro	D49PN05RA ↗	PCE	109	283.7	19.6	0	33.7	1110	6
NuTech	70B4AM ↗	AM	110	281.2	21.5	0	31.0	1084	8
Pioneer	P1164AM GC ↗	AM	111	278.9	19.4	0	32.5	1092	7
FS InVision	FS 6133VDG RIB ↗	VT2PDG	111	278.7	22.2	0	34.6	1069	17
Dyna-Gro	D51VC95RIB ↗	VT2P	111	277.6	20.0	0	34.3	1083	9
DeKalb	DKC108-64RIB GC ↗	STXP	108	277.5	20.3	0	34.2	1079	11
ProHarvest	79P54 STAXPRO ↗	STXP	109	277.2	21.6	0	34.1	1068	18
FS InVision	FS 5949PC RA ↗	PCE	109	277.2	20.8	0	34.8	1075	13
Renk	RK800VT4PRO ↗	VT4P	110	276.3	19.5	0	33.7	1082	10
DeKalb	DKC110-10RIB GC ↗	STX	110	275.8	20.7	0	34.2	1070	16
NuTech	69B5V ↗	VE	109	274.7	19.7	0	32.1	1074	14
Wyffels	W5019RIB ↗	STXP	107	274.3	18.9	0	34.5	1079	12
DeKalb	DKC107-33RIB GC ↗	STXP	107	273.6	20.5	0	34.0	1063	21
Renk	RK773TRE ↗	TRE	109	273.0	19.0	0	34.3	1073	15
FS InVision	FS 5947T RIB ↗	TRE	109	271.7	19.4	0	33.9	1065	19
Golden Harvest	G08U00-V ↗	V	108	271.1	20.8	0	35.0	1051	22
Integra	6061 SSRIB ↗	STX	110	271.1	22.7	0	34.4	1035	24
Renk	RK766SSPRO ↗	STXP	109	270.3	18.7	0	34.4	1064	20
Titan Pro	31-10 PCE ↗	PCE	110	268.6	20.7	0	34.2	1042	23
Pioneer	P0859AM GC ↗	AM	108	265.7	20.7	0	33.1	1031	26
NuTech	69C7PCE ↗	PCE	109	264.2	20.2	0	34.9	1029	27
Legacy	LC594-24 ↗	STX	109	263.7	20.3	0	34.4	1026	28
Rob-See-Co	RC5768-VT2P ↗	VT2P	107	262.6	18.7	0	34.2	1034	25
Wyffels	W6505 ↗	TRE	110	262.1	19.8	0	34.2	1024	29
Pioneer	P1185AM GC ↗	AM	111	259.2	19.0	0	32.6	1018	31
<b>PIONEER</b>	<b>P0688AM CK</b>	<b>AM</b>	<b>106</b>	<b>261.9</b>	<b>19.8</b>	<b>0</b>	<b>33.8</b>	<b>1023</b>	<b>30</b>
				<b>Averages =</b>	<b>266.7</b>	<b>20.3</b>	<b>33.8</b>	<b>958</b>	
				LSD (0.10) =	22.1	1.5	ns		
				LSD (0.25) =	11.6	0.8	ns		
				C.V. =	7.9				
				Historic yield: 243.96 bu/a, 2 yr(s)					

*Corey Rozenboom*

Corey Rozenboom

corey.rozenboom@firstseedtests.com, (319) 830-8886

### Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.03

Prices: GMO = \$4.05

Report Date: 10/19/2024

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com)


©2024, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

# 2024 Corn - Iowa North Central [ IANC ]

## Weather Conditions Summary at NEW HAMPTON, IA

Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in)   (Diff)	0.5   0.1 (+0.3)	9.9   5.2 (+4.6)	8.3   7.1 (+1.1)	5.5   4.6 (+0.9)	3.3   5.9 (-2.6)	0.5   4.9 (-4.5)	0.0   2.2 (-2.1)	27.9   30.0 (-2.1)
GDU   Avg (Diff)	4   0 (+4)	324   303 (+20)	566   581 (-15)	604   647 (-43)	576   582 (-6)	470   414 (+55)	142   95 (+46)	2686   2623 (+62)



\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

## 2024 Corn - Iowa North Central [ IANC ]

### Ultra Early-Season Test Products (30 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Cornelius	C5806VT4P	VT4P	N	98	P5V,Lu
Cornelius	C5972TRE	TRE	N	99	CM,C2,Vi,Va
DeKalb	DKC098-88RIB GC	VT4P	Y	98	AC,P1V
Dyna-Gro	D37PN35RA	PCE	Y	97	AC,P5V
Dyna-Gro	D39VT75RIB	VT4P	Y	99	AC,P5V
FS InVision	FS 4545D2 EZR	5222	Y	95	AC,P5V
FS InVision	FS 4927T RIB	TRE	Y	99	AC,P5V
FS InVision	FS 5035P RIB	STXP	N	100	AC,P5V
Golden Harvest	G00U71-D	D	Y	100	CM,C1,Vi,Va
Golden Harvest	G97B68-DV	DV	Y	97	CM,C5,Vi,Va
Jacobsen	JS0034SS	STX	Y	100	Treated
Jacobsen	JS9414VT2P	VT2P	Y	95	Treated
Jacobsen	JS9542DGVT2P	VT2PDG	Y	95	Treated
Jacobsen	JS9762 CONV	CONV	N	97	Treated
Legacy	LC465-23	PCE	Y	96	CM,C2,Vi,Va
NuTech	57B5V	VE	Y	97	LumPro P2
NuTech	59C1V	VE	Y	99	LumPro P2
NuTech	60A2Q	QR	Y	100	LumPro P2
NuTech	60A4AM	AM	Y	100	LumPro P2
Pioneer	P0075Q GC	QR	Y	100	Lum, L1
Pioneer	P9955Q GC	QR	Y	99	Lum, L1
Renk	RK579DGV2P	VT2PDG	Y	99	AC,P2
Renk	RK597SSPRO	STXP	Y*	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	100	AC,P2
Titan Pro	30-00 SS	STX	Y	100	CM,C2,Vi,Va
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Wyffels	W1869	STXP	N	97	AC,P5V
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2386	VT2P	N	100	AC,P5V
Wyffels	W2446RIB	VT2P	Y*	100	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2024 Corn - Iowa North Central [ IANC ]

### Early-Season Test Products (54 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Cornelius	C6400DGDP	VT2PDG	N	104	CM,C2,Vi,Va
Cornelius	C6467PCE	PCE	N	104	F,I
DeKalb	DKC101-33RIB GC	STXP	Y	101	AC,P5V,EDC-EL
DeKalb	DKC103-07RIB GC	TRE	Y	103	AC,P5V,EDC-EL
DeKalb	DKC104-08RIB GC	VT4P	Y	104	AC,P1V
DeKalb	DKC105-33RIB GC	STXP	Y	105	AC,P5V,EDC-EL
DeKalb	DKC106-98RIB GC	VT4P	Y	106	AC,P1V
Dyna-Gro	D41TC74RIB	TRE	Y*	101	AC,P5V
Dyna-Gro	D44PN25RA	PCE	Y	104	AC,P5V
Epley	E1530	CONV	N	105	F
Epley	E1540	CONV	N	105	F
FS InVision	FS 5115X RIB	STX	Y	101	AC,P5V
FS InVision	FS 5145L1 EZR	AA	Y	101	CM,C2,Vi,Va
FS InVision	FS 5147T RIB	TRE	Y	101	AC,P5V
FS InVision	FS 5335P RIB	STXP	Y	103	AC,P5V
FS InVision	FS 5525VDG RIB	VT2PDG	Y	105	AC,P5V
Golden Harvest	G01U74-AA	AA	Y	101	CM,C1,Vi,Va
Golden Harvest	G03U08-D	D	Y	103	CM,C1,Vi,Va
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,St,SU
Integra	5443 DGVT2PRIB	VT2PDG	N	104	AC,P5V,St,SU
Integra	5584 PCE	PCE	Y*	105	AC,P5V,St,SU
Jacobsen	JS0223VT2P	VT2P	Y	102	Treated
Jacobsen	JS0342DGVT2P	VT2PDG	Y	102	Treated
Jacobsen	JS0414PCE	PCE	Y	104	Treated
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Legacy	LC531-24	VT4P	Y*	103	AC,P5
NuTech	61A5PCE	PCE	Y	101	LumPro P2
NuTech	63A7V	VE	Y	103	LumPro P2
NuTech	65B8V	VE	Y	105	LumPro P2
NuTech	66C2V	VE	Y	106	LumPro P2
NuTech	66D1AM	AM	Y	106	LumPro P2
Pioneer	P0339Q GC	QR	Y	103	Lum, L1
Pioneer	P04511AM GC	AM,B	Y	104	Lum, L1
Pioneer	P05737PCE GC	PCE	Y	105	Lum, L1
Pioneer	P0688AM CK	AM	Y	106	Lum, L1
Prairie Hybrids	4470	CONV	N	106	LumPro P1
Prairie Hybrids	4991ORG	CONV	N	106	LumPro P1
Renk	RK625DGVT2P	VT2PDG	Y*	104	AC,P2
Renk	RK705VT4P	VT4P	N	105	AC,P5V,EDC-EL
Renk	RK720TRE	TRE	Y*	106	AC,P2
Rob-See-Co	RC5209-D	D	Y	102	CM,C2,Vi,Va
Rob-See-Co	RC5430-DGVT2P	VT2PDG	Y	104	AC,P2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Rob-See-Co	RC5694-VT2P	VT2P	Y	106	AC,P2
Titan Pro	32-06 SSP	STXP	Y	106	CM,C2,Vi,Va
Titan Pro	34-04 DG2P	VT2PDG	Y	104	CM,C2,Vi,Va
Titan Pro	44-06 PCE	PCE	Y	106	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Viking   Blue River	24-01	CONV	N	101	CM,C2
Viking   Blue River	72-06	CONV	N	106	CM,C2
Viking   Blue River	84-04	CONV	N	104	CM,C2
Wyffels	W3286RIB	VT2P	Y*	103	CM,C2,Vi,Va
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3579RIB	STXP	Y*	105	CM,C2,Vi,Va
Wyffels	W4439RIB	STXP	Y	106	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2024 Corn - Iowa North Central [ IANC ]

### Full-Season Test Products (52 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Cornelius	C7021DP	VT2P	N	110	CM,C2,Vi,Va
Cornelius	C7026PCE	PCE	N	110	CM,C2,Vi,Va
DeKalb	DKC107-33RIB GC	STXP	Y	107	AC,P5V,EDC-EL
DeKalb	DKC108-64RIB GC	STXP	Y	108	AC,P5V,EDC-EL
DeKalb	DKC110-10RIB GC	STX	Y	110	AC,P5V,EDC-EL
Dyna-Gro	D49PN05RA	PCE	Y	109	AC,P5V
Dyna-Gro	D51VC95RIB	VT2P	Y	111	AC,P5V
Epley	E1920	CONV	N	109	F
FS InVision	FS 5947T RIB	TRE	Y	109	AC,P5V,EDC-EL
FS InVision	FS 5949PC RA	PCE	Y	109	AC,P5V
FS InVision	FS 6025X RIB	STX	Y	110	AC,P5V
FS InVision	FS 6133VDG RIB	VT2PDG	Y	111	AC,P5V
FS InVision	FS 6137PC RA	PCE	N	111	AC,P5V
Golden Harvest	G08U00-V	V	Y	108	CM,C1,Vi,Va
Golden Harvest	G11V76-D	D	Y	111	AVC,C1,Vi,Va
Integra	5802 VT2PRIB	VT2P	Y	108	AC,P5V,St,SU
Integra	5935PCE	PCE	Y	109	AC,P5V,St,SU
Integra	6061 SSRIB	STX	Y	110	AC,P5V,St,SU
Legacy	LC572-22	STX	N	107	AC,P5
Legacy	LC594-24	STX	N	109	P5V
NuTech	68C1V	VE	Y	108	LumPro P2
NuTech	69B5V	VE	Y	109	LumPro P2
NuTech	69C7PCE	PCE	Y	109	LumPro P2
NuTech	70B4AM	AM	Y	110	LumPro P2
NuTech	71A2V	VE	Y	111	LumPro P2
Pioneer	P0688AM CK	AM	Y	106	Lum, L1
Pioneer	P0859AM GC	AM	Y	108	Lum, L1
Pioneer	P0953AM GC	AM	Y	109	Lum, L1
Pioneer	P1027AM GC	AM	Y	110	Lum, L1
Pioneer	P1164AM GC	AM	Y	111	Lum, L1
Pioneer	P1185AM GC	AM	Y	111	Lum, L1
ProHarvest	79P54 STAXPRO	STXP	Y	109	AC,P5V,EDC-EL
ProHarvest	80P75 PCE	PCE	Y	110	AC,P5V,Va
ProHarvest	81P20 PCE	PCE	Y	111	AC,P5V,Va
Renk	RK742VT2P	VT2P	N	108	AC,P5V,EDC-EL
Renk	RK766SSPRO	STXP	Y*	109	AC,P5V,EDC-EL
Renk	RK773TRE	TRE	Y*	109	AC,P2
Renk	RK800VT4PRO	VT4P	N	110	AC,P5V,EDC-EL
Rob-See-Co	RC5768-VT2P	VT2P	Y	107	CM,C2,Vi,Va
Rob-See-Co	RC6026-PCE	PCE	Y	110	CM,C2,Vi,Va
Rob-See-Co	RC6131-TRE	TRE	Y	111	AC,P2
Titan Pro	31-10 PCE	PCE	N	110	CM,C2,Vi,Va

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Titan Pro	39-08 PCE	PCE	N	108	CM,C2,Vi,Va
Titan Pro	42-07 PCE	PCE	Y	107	CM,C2,Vi,Va
Viking   Blue River	75-07	CONV	N	107	CM,C2
Viking   Blue River	76-11	CONV	N	111	AC,P5
Viking   Blue River	85-09	CONV	N	109	CM,C2
Wyffels	W5019RIB	STXP	Y*	107	CM,C2,Vi,Va
Wyffels	W5406RIB	VT2P	Y*	108	CM,C2,Vi,Va
Wyffels	W6479	STXP	N	110	AC,P5V
Wyffels	W6505	TRE	N	110	AC,P5V
Wyffels	W6886RIB	VT2P	Y*	111	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

---

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Innotech™ brand seed is distributed by Rob-See-Co, LLC. Innotech™ is a trademark of Syngenta. Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Technologies

---

5222	Agrisure® Duracade™ 5222
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
B	Blend, Refuge in a Bag (RIB) or EZ-Refuge
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PCE	PowerCore® Enlist®
QR	Qrome®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.



## Corn Seed Treatments\*

---

NA	Not Available
AC,P1V	Acceleron® Poncho 1250/Votivo
AC,P2	Acceleron® 250
AC,P5	Acceleron® 500
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,St,SU	Acceleron® Poncho 500/Votivo, Stamina, StepUp
AC,P5V,Va	Acceleron® Poncho 500/Votivo, Vayantis®
AVC,C1,Vi,Va	Avicta® Complete 1250, Vibrance®, Vayantis®
CM,C1,Vi,Va	CruiserMaxx® 1250 with Vibrance, Vayantis®
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
F	Fungicide
F,I	Fungicide, Insecticide
Lum, L1	LumiGEN, Lumisure 1250
Lum,P1V	LumiGEN™ Poncho 1250/Votivo
LumPro P1	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 1250, Lumialza nematicide
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/ Lumivia250 insecticide, Lumialza nematicide
P5V	Poncho 500/Votivo
P5V,Lu	Poncho 500/Votivo, Lumiante™
Treated	Treated seed, unspecified

---

\* Seed treatments may include unspecified plant health promoting components.