

Test by: F.I.R.S.T. CCB, Inc. Elizabeth, IL

## 2024 Corn Grain Top 30 Harvest Report

Iowa West Central [IAWC] SLATER, IA  
Jason Krause, Story County, IA 50244

|                               |  |
|-------------------------------|--|
| <b>Early-Season Test</b>      | 105 - 110 Day CRM<br>B2024IAWC24a                                    |
| <b>Top 30 of 30</b>           | For Gross Income<br>(Sorted by Yield)<br>Average of (3) Replications |
| <b>PREV. CROP/HERB:</b>       | Soybeans / Enlist  |
| <b>SOIL DESCRIPTION:</b>      | Webster clay loam, mod. poorly<br>drained, non-irrigated             |
| <b>SOIL CONDITION:</b>        | No-Till, high P, very high K, 5.5<br>pH, 2.0% OM, 14.2 CEC           |
| <b>PEST MANAGEMENT:</b>       | Ams, Explorer, Roundup Power<br>Max 3, Volley                        |
| <b>FERTILITY - Applied N:</b> | 160 Fall   |
| <b>Applied N-P-K (units):</b> | 160-0-0  |
| <b>SEEDED - RATE - ROW:</b>   | May 18 35.0 /A 30" spacing   |
| <b>HARVESTED - STAND:</b>     | Oct 22 32.4 /A   |

### TEST COMMENTS:

Planting season was very wet in this area. Once the soil was ready it was planted in a nice seed bed. Most of the rainfall was in the early stages of the season. The area had ponding issues in many fields but the plot was well placed. Plants grew tall with ear sets high. Ears were all across the board in size. Stalks were standing well with no lodging issues. With the dry conditions at the end of growth, the dry down was rapid. There was no weed pressure. Ear shanks were holding well. Slight tar spot could be seen in the plot.

| Company/Brand  | Product/Brand       | Technol.† | RM         | Yield<br>Bu/A ↓                       | Moisture<br>% | Lodging<br>% | Stand<br>(x 1000) | Gross Income<br>\$/Acre | Rank        |
|----------------|---------------------|-----------|------------|---------------------------------------|---------------|--------------|-------------------|-------------------------|-------------|
| FS InVision    | FS 5947T RIB ↗      | TRE       | 109        | <b>272.5</b>                          | 13.0          | 1            | 32.9              | 1161                    | 1           |
| Renk           | RK773TRE ↗          | TRE       | 109        | <b>260.0</b>                          | 12.5          | 1            | 33.8              | 1108                    | 3           |
| FS InVision    | FS 6025X RIB ↗      | STX       | 110        | <b>259.2</b>                          | 13.0          | 1            | 31.9              | 1104                    | 4           |
| Wyffels        | W6505 ↗             | TRE       | 110        | <b>257.2</b>                          | 12.5          | 1            | 32.9              | 1096                    | 5           |
| Integra        | 5802 VT2PRIB ↗      | VT2P      | 108        | <b>256.6</b>                          | 11.6          | 1            | 33.8              | 1093                    | 6           |
| Hoegemeyer     | 7836V ↗             | VE        | 108        | <b>251.2</b>                          | 11.6          | 1            | 32.9              | 1070                    | 7           |
| Cornelius      | C7026PCE ↗          | PCE       | 110        | <b>251.0</b>                          | 11.8          | 1            | 30.9              | 1069                    | 8           |
| FS InVision    | FS 6042F RIB ↗      | VT4P      | 110        | <b>249.8</b>                          | 11.8          | 1            | 32.9              | 1064                    | 9           |
| Wyffels        | W6215RIB ↗          | TRE       | 109        | <b>248.3</b>                          | 12.0          | 1            | 34.8              | 1058                    | 10          |
| Hoegemeyer     | 8014PCE ↗           | PCE       | 110        | <b>247.9</b>                          | 12.2          | 1            | 32.9              | 1056                    | 11          |
| Merschman      | 2408C-30 GC ↗       | PCE       | 108        | 245.5                                 | 11.9          | 1            | 32.9              | 1046                    | 12          |
| Hoegemeyer     | 8046V ↗             | VE        | 110        | 244.5                                 | 11.7          | 1            | 32.9              | 1042                    | 13          |
| Cornelius      | C7021DP ↗           | VT2P      | 110        | 243.5                                 | 11.5          | 1            | 30.9              | 1037                    | 14          |
| Hoegemeyer     | 7591V ↗             | VE        | 105        | 241.8                                 | 11.0          | 1            | 31.9              | 1030                    | 15          |
| Integra        | 5935PCE ↗           | PCE       | 109        | 241.4                                 | 10.9          | 1            | 31.9              | 1028                    | 16          |
| Renk           | RK800VT4PRO ↗       | VT4P      | 110        | 240.6                                 | 11.6          | 1            | 32.9              | 1025                    | 17          |
| Wyffels        | W5406RIB ↗          | VT2P      | 108        | 238.2                                 | 11.6          | 1            | 33.8              | 1015                    | 18          |
| Rob-See-Co     | RC6026-PCE ↗        | PCE       | 110        | 238.0                                 | 11.7          | 1            | 32.9              | 1014                    | 19          |
| Golden Harvest | G08U00-V ↗          | V         | 108        | 234.8                                 | 12.2          | 1            | 30.9              | 1000                    | 20          |
| Renk           | RK766SSPRO ↗        | STXP      | 109        | 234.0                                 | 12.1          | 1            | 33.8              | 997                     | 21          |
| Dyna-Gro       | D50SP65RIB ↗        | STXP      | 110        | 233.9                                 | 12.0          | 1            | 33.8              | 996                     | 22          |
| FS InVision    | FS 5935X RIB ↗      | STX       | 109        | 231.5                                 | 11.4          | 1            | 32.9              | 986                     | 23          |
| Integra        | 6061 SSRIB ↗        | STX       | 110        | 231.1                                 | 12.3          | 1            | 30.9              | 984                     | 24          |
| FS InVision    | FS 5949PC RA ↗      | PCE       | 109        | 230.6                                 | 10.9          | 1            | 33.8              | 982                     | 25          |
| Rob-See-Co     | RC5768-VT2P ↗       | VT2P      | 107        | 222.0                                 | 11.9          | 1            | 30.9              | 946                     | 26          |
| LG Seeds       | LG58C48VT2PRIB GC ↗ | VT2P      | 108        | 221.8                                 | 11.0          | 1            | 31.9              | 945                     | 27          |
| Wyffels        | W6479 ↗             | STXP      | 110        | 220.9                                 | 11.5          | 1            | 30.0              | 941                     | 28          |
| Dyna-Gro       | D49PN05RA ↗         | PCE       | 109        | 220.7                                 | 10.8          | 1            | 30.0              | 940                     | 29          |
| Pioneer        | P0529Q GC ↗         | QR        | 105        | 203.4                                 | 11.6          | 1            | 30.9              | 866                     | 30          |
| <b>PIONEER</b> | <b>P1027AM CK</b>   | <b>AM</b> | <b>110</b> | <b>263.7</b>                          | <b>11.7</b>   | <b>1</b>     | <b>31.9</b>       | <b>1123</b>             | <b>2</b>    |
|                |                     |           |            | <b>Averages =</b>                     | <b>241.2</b>  | <b>11.8</b>  | <b>1</b>          | <b>32.4</b>             | <b>1027</b> |
|                |                     |           |            | LSD (0.10) =                          | 6.6           | 0.5          | ns                |                         |             |
|                |                     |           |            | LSD (0.25) =                          | 3.5           | 0.2          | ns                |                         |             |
|                |                     |           |            | C.V. =                                | 2.6           |              |                   |                         |             |
|                |                     |           |            | Historic yield: 208.34 bu/a, 17 yr(s) |               |              |                   |                         |             |



Randy Meinsma  
randym@firstseedtests.com, (815) 238-8007

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.26

Report Date: 10/22/2024

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com)

©2024, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

Test by: F.I.R.S.T. CCB, Inc. Elizabeth, IL

## 2024 Corn Grain Top 30 Harvest Report

Iowa West Central [IAWC] SLATER, IA  
Jason Krause, Story County, IA 50244

|                               |  |
|-------------------------------|--|
| <b>Full-Season Test</b>       | 111 - 115 Day CRM<br>B2024IAWC24b                                    |
| <b>Top 30 of 36</b>           | For Gross Income<br>(Sorted by Yield)<br>Average of (3) Replications |
| <b>PREV. CROP/HERB:</b>       | Soybeans / Enlist  |
| <b>SOIL DESCRIPTION:</b>      | Webster clay loam, mod. poorly<br>drained, non-irrigated             |
| <b>SOIL CONDITION:</b>        | No-Till, high P, very high K, 5.5<br>pH, 2.0% OM, 14.2 CEC           |
| <b>PEST MANAGEMENT:</b>       | Ams, Explorer, Roundup Power<br>Max 3, Volley                        |
| <b>FERTILITY - Applied N:</b> | 160 Fall   |
| <b>Applied N-P-K (units):</b> | 160-0-0  |
| <b>SEEDED - RATE - ROW:</b>   | May 18 35.0 /A 30" spacing   |
| <b>HARVESTED - STAND:</b>     | Oct 22 32.1 /A   |

### TEST COMMENTS:

Planting season was very wet in this area. Once the soil was ready it was planted in a nice seed bed. Most of the rainfall was in the early stages of the season. The area had ponding issues in many fields but the plot was well placed. Plants grew tall with ear sets high. Ears were all across the board in size. Stalks were standing well with no lodging issues. With the dry conditions at the end of growth, the dry down was rapid. There was no weed pressure. Ear shanks were holding well. Slight tar spot could be seen in the plot.

| Company/Brand  | Product/Brand     | Technol.† | RM         | Yield Bu/A ↓                          | Moisture %   | Lodging %   | Stand (x 1000) | Gross Income \$/Acre | Rank        |
|----------------|-------------------|-----------|------------|---------------------------------------|--------------|-------------|----------------|----------------------|-------------|
| Wyffels        | W7759RIB ↗        | STXP      | 113        | <b>271.7</b>                          | 12.9         | 1           | 31.9           | 1157                 | 1           |
| Merschman      | 2512C-30 GC ↗     | PCE       | 112        | <b>270.1</b>                          | 12.1         | 1           | 31.9           | 1151                 | 2           |
| Wyffels        | W8086RIB ↗        | VT2P      | 114        | <b>264.7</b>                          | 13.7         | 1           | 32.9           | 1128                 | 4           |
| Integra        | 6365SSPRO ↗       | STXP      | 113        | <b>262.7</b>                          | 15.6         | 1           | 32.9           | 1113                 | 5           |
| Wyffels        | W7945RIB ↗        | TRE       | 114        | <b>261.2</b>                          | 13.9         | 1           | 34.8           | 1113                 | 6           |
| Hoegemeyer     | 8262PCE ↗         | PCE       | 112        | <b>260.3</b>                          | 11.9         | 1           | 31.9           | 1109                 | 7           |
| Integra        | 6274 VT2PRIB ↗    | VT2P      | 112        | <b>253.5</b>                          | 13.0         | 1           | 32.9           | 1080                 | 8           |
| Rob-See-Co     | RC6411-VT2P ↗     | VT2P      | 114        | <b>253.4</b>                          | 13.4         | 1           | 32.9           | 1079                 | 9           |
| DeKalb         | DKC66-06RIB GC ↗  | TRE       | 116        | <b>252.2</b>                          | 14.3         | 1           | 28.0           | 1074                 | 10          |
| Rob-See-Co     | RC6392-PCE ↗      | PCE       | 113        | 249.9                                 | 13.0         | 1           | 30.9           | 1065                 | 11          |
| Renk           | RK876VT2P ↗       | VT2P      | 113        | 248.8                                 | 12.4         | 1           | 33.8           | 1060                 | 12          |
| Dyna-Gro       | D53VC54RIB ↗      | VT2P      | 113        | 246.1                                 | 12.9         | 1           | 32.9           | 1048                 | 13          |
| FS InVision    | FS 6245V RIB ↗    | VT2P      | 112        | 244.6                                 | 13.7         | 1           | 30.9           | 1042                 | 14          |
| Rob-See-Co     | RC6539-VT2P ↗     | VT2P      | 115        | 243.5                                 | 13.0         | 1           | 33.8           | 1037                 | 15          |
| Renk           | RK958VT2P ↗       | VT2P      | 115        | 243.4                                 | 13.4         | 1           | 31.9           | 1037                 | 16          |
| FS InVision    | FS 6432P RIB ↗    | STXP      | 114        | 243.3                                 | 13.3         | 1           | 32.9           | 1036                 | 17          |
| Rob-See-Co     | RC6131-TRE ↗      | TRE       | 111        | 242.0                                 | 12.8         | 1           | 30.9           | 1031                 | 18          |
| Renk           | RK825VT4P ↗       | VT4P      | 112        | 241.0                                 | 12.7         | 1           | 30.9           | 1027                 | 19          |
| FS InVision    | FS 6349PC RA ↗    | PCE       | 113        | 240.8                                 | 12.4         | 1           | 33.8           | 1026                 | 20          |
| Titan Pro      | 33-12 PCE ↗       | PCE       | 112        | 240.7                                 | 13.1         | 1           | 30.9           | 1025                 | 21          |
| Golden Harvest | G13U96-DV ↗       | DV        | 113        | 240.3                                 | 12.9         | 1           | 32.9           | 1024                 | 22          |
| FS InVision    | FS 6447T RIB ↗    | TRE       | 114        | 240.0                                 | 14.1         | 1           | 33.8           | 1022                 | 23          |
| Wyffels        | W7485 ↗           | TRE       | 112        | 239.9                                 | 13.1         | 1           | 33.8           | 1022                 | 24          |
| Integra        | 6493 VT2PRIB ↗    | VT2P      | 114        | 239.2                                 | 13.4         | 1           | 29.0           | 1019                 | 25          |
| Hoegemeyer     | 8366V ↗           | VE        | 113        | 238.1                                 | 12.9         | 1           | 30.9           | 1014                 | 26          |
| Dyna-Gro       | D51VC95RIB ↗      | VT2P      | 111        | 236.6                                 | 11.8         | 1           | 31.9           | 1008                 | 27          |
| Renk           | RK921VT2P ↗       | VT2P      | 115        | 236.0                                 | 13.6         | 1           | 32.9           | 1005                 | 28          |
| Golden Harvest | G15U34-V ↗        | V         | 115        | 236.0                                 | 15.0         | 1           | 31.9           | 1005                 | 29          |
| Epley          | E2215SS ↗         | STX       | 112        | 235.9                                 | 12.6         | 1           | 30.0           | 1005                 | 30          |
| Golden Harvest | G12U11-AA ↗       | AA        | 112        | 233.7                                 | 13.0         | 1           | 31.9           | 996                  | 31          |
| <b>PIONEER</b> | <b>P1027AM CK</b> | <b>AM</b> | <b>110</b> | <b>264.9</b>                          | <b>12.4</b>  | <b>1</b>    | <b>30.9</b>    | <b>1128</b>          | <b>3</b>    |
|                |                   |           |            | <b>Averages =</b>                     | <b>243.7</b> | <b>13.1</b> | <b>1</b>       | <b>32.1</b>          | <b>1035</b> |
|                |                   |           |            | LSD (0.10) =                          | 8.2          | 0.7         | 0              |                      |             |
|                |                   |           |            | LSD (0.25) =                          | 4.3          | 0.3         | 0              |                      |             |
|                |                   |           |            | C.V. =                                | 3.2          |             |                |                      |             |
|                |                   |           |            | Historic yield: 208.34 bu/a, 17 yr(s) |              |             |                |                      |             |



Randy Meinsma

randym@firstseedtests.com, (815) 238-8007

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.26

Report Date: 10/22/2024

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceeded the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com)


©2024, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

# 2024 Corn - Iowa West Central [ IAWC ]

## Weather Conditions Summary at SLATER, IA

| Monthly Total        | May*             | Jun              | Jul              | Aug              | Sep              | Oct*             | Total              |
|----------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Precip (in)   (Diff) | 7.8   3.9 (+3.9) | 4.8   4.6 (+0.2) | 6.1   4.2 (+1.9) | 2.3   4.4 (-2.1) | 0.9   4.2 (-3.2) | 0.0   2.0 (-2.0) | 22.0   23.3 (-1.3) |
| GDU   Avg (Diff)     | 378   341 (+36)  | 672   666 (+5)   | 687   734 (-47)  | 646   675 (-29)  | 524   499 (+24)  | 226   151 (+74)  | 3133   3069 (+63)  |



\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

## 2024 Corn - Iowa West Central [ IAWC ]

### Early-Season Test Products (30 Total)

| Company/Brand  | Product/Brand     | Technology | RIB | RM  | Seed Treat.   |
|----------------|-------------------|------------|-----|-----|---------------|
| Cornelius      | C7021DP           | VT2P       | N   | 110 | CM,C2,Vi,Va   |
| Cornelius      | C7026PCE          | PCE        | N   | 110 | CM,C2,Vi,Va   |
| Dyna-Gro       | D49PN05RA         | PCE        | Y   | 109 | AC,P5V        |
| Dyna-Gro       | D50SP65RIB        | STXP       | Y   | 110 | AC,P5V,EDC-B  |
| FS InVision    | FS 5935X RIB      | STX        | Y   | 109 | AC,P5V        |
| FS InVision    | FS 5947T RIB      | TRE        | Y   | 109 | AC,P5V,EDC-EL |
| FS InVision    | FS 5949PC RA      | PCE        | Y   | 109 | AC,P5V        |
| FS InVision    | FS 6025X RIB      | STX        | Y   | 110 | AC,P5V        |
| FS InVision    | FS 6042F RIB      | VT4P       | Y   | 110 | AC,P5V,EDC-EL |
| Golden Harvest | G08U00-V          | V          | Y   | 108 | CM,C1,Vi,Va   |
| Hoegemeyer     | 7591V             | VE         | Y   | 105 | Lum, L1       |
| Hoegemeyer     | 7836V             | VE         | Y   | 108 | Lum, L1       |
| Hoegemeyer     | 8014PCE           | PCE        | Y   | 110 | Lum, L1       |
| Hoegemeyer     | 8046V             | VE         | Y   | 110 | Lum, L1       |
| Integra        | 5802 VT2PRIB      | VT2P       | Y   | 108 | AC,P5V,St,SU  |
| Integra        | 5935PCE           | PCE        | Y   | 109 | AC,P5V,St,SU  |
| Integra        | 6061 SSRIB        | STX        | Y   | 110 | AC,P5V,St,SU  |
| LG Seeds       | LG58C48VT2PRIB GC | VT2P       | Y   | 108 | AC,P5V        |
| Merschman      | 2408C-30 GC       | PCE        | N*  | 108 | NA            |
| Pioneer        | P0529Q GC         | QR         | Y   | 105 | Lum, L1       |
| Pioneer        | P1027AM CK        | AM         | Y   | 110 | Lum           |
| Renk           | RK766SSPRO        | STXP       | Y*  | 109 | AC,P5V,EDC-EL |
| Renk           | RK773TRE          | TRE        | Y*  | 109 | AC,P2         |
| Renk           | RK800VT4PRO       | VT4P       | N   | 110 | AC,P5V,EDC-EL |
| Rob-See-Co     | RC5768-VT2P       | VT2P       | Y   | 107 | CM,C2,Vi,Va   |
| Rob-See-Co     | RC6026-PCE        | PCE        | Y   | 110 | CM,C2,Vi,Va   |
| Wyffels        | W5406RIB          | VT2P       | Y*  | 108 | CM,C2,Vi,Va   |
| Wyffels        | W6215RIB          | TRE        | Y*  | 109 | CM,C2,Vi,Va   |
| Wyffels        | W6479             | STXP       | N   | 110 | AC,P5V        |
| Wyffels        | W6505             | TRE        | N   | 110 | AC,P5V        |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2024 Corn - Iowa West Central [ IAWC ]

### Full-Season Test Products (36 Total)

| Company/Brand  | Product/Brand  | Technology | RIB | RM  | Seed Treat.   |
|----------------|----------------|------------|-----|-----|---------------|
| DeKalb         | DKC66-06RIB GC | TRE        | Y   | 116 | AC,P5V        |
| Dyna-Gro       | D51VC95RIB     | VT2P       | Y   | 111 | AC,P5V        |
| Dyna-Gro       | D53SP85RIB     | STXP       | Y   | 113 | AC,P5V        |
| Dyna-Gro       | D53VC54RIB     | VT2P       | Y   | 113 | AC,P5V        |
| Epley          | E2215SS        | STX        | N*  | 112 | F,I           |
| FS InVision    | FS 6217X RIB   | STX        | Y   | 112 | AC,P5V        |
| FS InVision    | FS 6245V RIB   | VT2P       | Y   | 112 | AC,P5V,EDC-EL |
| FS InVision    | FS 6349PC RA   | PCE        | Y   | 113 | CM,C2,Vi,Va   |
| FS InVision    | FS 6432P RIB   | STXP       | Y   | 114 | AC,P5V        |
| FS InVision    | FS 6447T RIB   | TRE        | Y   | 114 | AC,P5V,EDC-EL |
| Golden Harvest | G12U11-AA      | AA         | Y   | 112 | CM,C1,Vi,Va   |
| Golden Harvest | G13U96-DV      | DV         | Y   | 113 | CM,C1,Vi,Va   |
| Golden Harvest | G15U34-V       | V          | Y   | 115 | CM,C2,Vi,Va   |
| Hoegemeyer     | 8262PCE        | PCE        | Y   | 112 | Lum, L1       |
| Hoegemeyer     | 8366V          | VE         | Y   | 113 | Lum, L1       |
| Integra        | 6244PCE        | PCE        | N   | 112 | NA            |
| Integra        | 6274 VT2PRIB   | VT2P       | Y   | 112 | NA            |
| Integra        | 6365SSPRO      | STXP       | Y   | 113 | NA            |
| Integra        | 6493 VT2PRIB   | VT2P       | Y*  | 114 | NA            |
| Merschman      | 2512C-30 GC    | PCE        | N*  | 112 | CM,C2,Vi,Va   |
| Pioneer        | P1027AM CK     | AM         | Y   | 110 | Lum           |
| Renk           | RK825VT4P      | VT4P       | N   | 112 | AC,P5V,EDC-EL |
| Renk           | RK876VT2P      | VT2P       | Y*  | 113 | AC,P2         |
| Renk           | RK921VT2P      | VT2P       | N   | 115 | AC,P5V,EDC-EL |
| Renk           | RK958VT2P      | VT2P       | Y*  | 115 | AC,P2         |
| Rob-See-Co     | RC6131-TRE     | TRE        | Y   | 111 | AC,P2         |
| Rob-See-Co     | RC6392-PCE     | PCE        | N   | 113 | CM,C2,Vi,Va   |
| Rob-See-Co     | RC6411-VT2P    | VT2P       | Y   | 114 | CM,C2,Vi,Va   |
| Rob-See-Co     | RC6539-VT2P    | VT2P       | Y   | 115 | AC,P5V,EDC-B  |
| Titan Pro      | 33-12 PCE      | PCE        | N   | 112 | CM,C2,Vi,Va   |
| Titan Pro      | 40-13 PCE      | PCE        | Y   | 113 | CM,C2,Vi,Va   |
| Wyffels        | W7485          | TRE        | N   | 112 | AC,P5V        |
| Wyffels        | W7759RIB       | STXP       | Y*  | 113 | CM,C2,Vi,Va   |
| Wyffels        | W7876RIB       | VT2P       | Y   | 114 | CM,C2,Vi,Va   |
| Wyffels        | W7945RIB       | TRE        | Y*  | 114 | CM,C2,Vi,Va   |
| Wyffels        | W8086RIB       | VT2P       | Y*  | 114 | CM,C2,Vi,Va   |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

---

|    |  |
|----|--|
| CK | Identifies a check product included in early- and full-season tests.   |
| GC | Grower Comparison product included by FIRST when space permits.  |
| ^  | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Innotech™ is a trademark of Syngenta. Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience. |

### Corn Technologies

---

|      |   |
|------|---|
| AA   | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120                      |
| AM   | Optimum® AcreMax®   |
| DV   | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| PCE  | PowerCore® Enlist®  |
| QR   | Qrome®  |
| STX  | SmartStax®  |
| STXP | SmartStax® Pro with RNAi Technology   |
| TRE  | Trecepta®   |
| V    | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220                 |
| VE   | Vorceed™ Enlist®  |
| VT2P | VT Double PRO®  |
| VT4P | VT4Pro™ with RNAi Technology  |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

### Corn Seed Treatments\*

---

|               |  |
|---------------|--|
| NA            | Not Available  |
| AC,P2         | Acceleron® 250   |
| AC,P5V        | Acceleron® Poncho 500/Votivo                                     |
| AC,P5V,EDC-B  | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,St,SU  | Acceleron® Poncho 500/Votivo, Stamina, StepUp                    |
| CM,C1,Vi,Va   | CruiserMaxx® 1250 with Vibrance, Vayantis®                       |
| CM,C2,Vi,Va   | CruiserMaxx® 250 with Vibrance, Vayantis®                        |
| F,I           | Fungicide, Insecticide   |
| Lum           | LumiGEN™ (Corteva Agriscience)                                   |
| Lum, L1       | LumiGEN, Lumisure 1250   |

\* Seed treatments may include unspecified plant health promoting components.